

Kako Konektovati Kamere

Install: Secu-Guard Basic 5.0

Search

Model	IP	MAC	HTTP port
<input checked="" type="checkbox"/> 60M	192.168.2.183	00-0E-AE-A1-33-D5	80
<input checked="" type="checkbox"/> IB-211	192.168.2.6	00-0E-AE-A1-3A-9A	80
<input checked="" type="checkbox"/> ICA-M230	192.168.2.180	00-30-4F-67-7E-BA	82
<input checked="" type="checkbox"/> IP-206M	192.168.2.5	00-0E-AE-A1-3E-5A	80
<input checked="" type="checkbox"/> IPT-213	192.168.2.7	00-0E-AE-A1-31-8D	80
<input checked="" type="checkbox"/> IPTA-215	192.168.2.9	00-0E-AE-A1-36-7B	80
<input checked="" type="checkbox"/> IS-240	192.168.2.8	00-0E-AE-A1-3D-CE	80

Step-2

Select all Cancel all OK Cancel



System Setup

System Camera User Address Book Notification

OSD Config

- Show Date
- Show Time
- Camera Name
- Frame per second
- Bitrate

Camera config

Vendor: general

Model: Any Auto Detect

Camera Name: []

IP: []

Port: 80

User: []

Password: []

Add Delete Edit Clear

Step-1

Search

Connection Close

OK Cancel

2010/01/13
16:55:06
Wednesday

Schedule Monitoring
Alarm Monitoring
Free Space:35.76 GB

Icons: Home, Play, Settings, Clock, Eye, Chat



Grid of camera view icons: 1, 4, 9, 16, 32, 64, N², and a zoom icon.

Volume and Power control buttons.

2010/01/13 17:37:42
C01 IB-211 192.168.2.6

2010/01/13 17:37:42
C02 ICA-M230 192.168.2.180

2010/01/13 17:37:42
C03 IP-206M 192.168.2.5

2010/01/13 17:37:41
Wednesday
Schedule Monitoring
Alarm Monitoring
Free Space:35.75 GB

System Setup

System Camera User Address Book Notification

OSD Config

- Cam01 IB-211 192.168.2.6
- Cam02 ICA-M230 192.168.2.1
- Cam03 IP-206M 192.168.2.5
- Cam04 IPT-213 192.168.2.7
- Cam05 IPTA-215 192.168.2.9
- Cam06 IS-240 192.168.2.8

2010/01/13 18:33:39
IB-211 192.168.2.6

FPS:04 BitRate:0037Kbps

Vendor: general
Model: IB-211
Camera Name: IB-211 192.168.2.6
IP: 192.168.2.6
Port: 80
User: admin
Password:

— admin

Channel parameter

Video Config

Video codec: H264
Resolution: SXGA

Network config

Protocol: HTTP
RTSP Port: 554

Audio Config

Enable Audio
 Enable Audio Record

OK Cancel

http://192.168.2.6/ - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://192.168.2.6/

Common Video Profile

Config Detail

Live View

- Network
- Camera
- System
- Video**
- Audio
- User
- E-Mail
- Object Detection
- Event Server
- Event Schedule

Video Profile	Rate Control	Quality	Bitrate	Max Frame Rate	GOP Control
h264 / sxga	vbr	75	3072	3	30
h264 / vga	vbr	75	2048	15	30
h264 / qvga	vbr	90	1024	15	30
h264 / qqvga	vbr	90	256	15	30
mjpeg / vga	vbr	75	2048	15	30
mjpeg / qvga	vbr	90	1024	15	30
mjpeg / qqvga	vbr	90	512	15	30
mjpeg / sxga	vbr	90	4096	5	1
mjpeg / vga	vbr	90	2048	5	1
mjpeg / qvga	vbr	90	1024	15	1
mjpeg / qqvga	vbr	90	512	15	1

Video Type: h264

Resolution: sxga

Rate Control: Quality 90 Bitrate 3072 K bps (384 - 4096)

Max Frame Rate: 3

GOP Control: 30

OK Cancel

Record Setup

Record Mode:

- Round the Clock
- Motion detection
- DI detection

Record Setting:

PreAlarm: 3 Second

PostAlarm: 3 Second

Motion config

Motion detect area: Display motion detection status

Buttons: Default, Add, Delete

Sensitivity: Level 3

Detect Interval: 500 MS

DI Record Settings:

DI Input: DI_0

DI Record trigger by:

- Open
- Close

Send Mail

Korak-4

OK Cancel



**Kako Podesiti:
Recording Schedule**
Na crvenoj površini je aktivna detekcija pokreta

17:37:42
192.168.2.5

17:37:42
192.168.2.8

2010/01/13 17:37:41
Wednesday
Schedule Monitoring
Alarm Monitoring
Free Space:35.75 GB

DI LO HI

Icons: Home, Play, Settings, Alarm, Eye, Chat

Schedule Config

Daily Weekly Special Day

Camera1(1B-211 192.168.2.6)

Camera2(1CA-M230 192.168.2.180)

Camera3(IP-206M 192.168.2.5)

Camera4(IPT-213 192.168.2.7)

Camera5(IPTA-215 192.168.2.9)

Camera6(1S-240 192.168.2.8)

Schedule Mode: Daily Weekly

Start Time: 17:38

End Time: 17:38

Start Time	End Time	Schedule Mode
00:00	23:59	Round the Clock

Buttons: Add, Edit, Delete

Timeline: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23

CAM001


Kliknite plavu liniju mišem (Korak-1)

Korak-2 ili Korak-3

OK Cancel



Kako Reprodukovati Snimak (Palyback)



Kako sačuvati snimak (u AVI formatu) - Backup

Backup

Record Mode

- Round the Clock
- Motion detection
- DI detection

Start Time: 12:12:00
End Time: 12:25:00

Search

Save to...

2010. január

H	K	Sze	Cs	P	Szo	V
28	29	30	31	1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	31
1	2	3	4	5	6	7

Selected Camera: 4

OK Cancel

Current Time: 2010/01/13 17:43:45
Playback Time: 2010/01/13 12:00:00
Stop x1

Step-1

Chose Cameras

Chose Time

Korak-2

System Setup

System Camera User Address Book Notification

Kako podesiti automatsko pokretanje programa

Start up config

- Auto start
- Auto monitor all
- Auto Full screen
- Minimized at started
- Auto login

Language config

Language: English

Auto login

User: admin

Password: []

Auto scan Start

Auto scan interval: 2 Second

Storage config

Path	Available size	Keep...
C:\Record	36883 MB	1024

Add Delete Move up Move down

Keep space over: 500 MB Edit

System status

- Show Date
- Show Time
- Show Weekday
- Hide when minimized

Host Name: Pako

HDD status

- Show available size
- Show available percentage

N:N Division

Division base: 7

admin

OK Cancel

Konverzija u AVI Format

No Video

Current Time
2010/01/13 17:43:45

Playback Time
2010/01/13 12:00:00

Stop x1

Convert record file

2010. január

H	K	Sze	Cs	P	Szo	V
28	29	30	31	1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	31
1	2	3	4	5	6	7

Start Time: 11:39:49

End Time: 11:49:49

Camera: 1

Save to...

OK Cancel

Browse For Folder

Save to...

- Desktop
- My Documents
- My Computer
- My Network Places
- Recycle Bin
- amtk-quick-xxx
- Catalogues
- CCTV-lap
- CPSE-2007
- Dahua-visa

Folder: My Documents

Make New Folder OK Cancel

Navigation buttons: Previous, Play/Pause, Next, Stop, Power

Control panel icons: Stop, Play/Pause, Settings, Folder, Camera, Save

Zoom control: 1X, 2X, 4X, 8X, 16X, 32X, 1/2, 1/4

